


Some Recent Projects:

Currumbin RSL,
 Beenleigh School Brisbane,
 Austfish Darwin,
 Ambience Gym Melbourne,
 Centenary Precinct Townsville,
 100 Perie Street Adelaide,
 180 Ann Street Brisbane,
 Timaru Aquatic Centre,
 Gourmet Meats
 Avalon Fire Station
 Broadway Shopping Centre Sydney
 Kuranui College,
 Hagley College,
 Southbrook School,
 Westlake Girls High School,
 Rotorua Dental Surgery,
 Levin North School,
 AUT Auckland,



41 Shortland Street Offices ,
 Z3 Silverdale Mall,
 Elms Hotel ,
 Torres Straights Seafood,
 Hasana Church,
 Blue Water Hotel Napier,
 Sydney Ashfield Mall,
 New Farm Cinema Brisbane,
 The Precinct Cairns,
 Coffs Central, Coffs Harbour,
 Subway NZ and AUS,
 Raumati Beach School,
 Price Waterhouse Cooper ,
 Christchurch,
 Readings Cinema,
 Werner Oral Design,
 NRG Fitness,
 Black Harp Wellington,



FEATURES & BENEFITS

- Stunning LED and Glass display
- Hands Free sensor dual flush
- Hand swipe sensor activation
- Automatic 72 hour hygiene flush
- Automatic activation if not flushed
- Manual over ride function
- In-wall cistern with front access
- AC power transformer
- Accessible bathrooms
- 4 STAR WELS water rating

Warning: This is an electronic device, please take care when plugging in connections make sure the pins line up and when removing plugs hold the plug not the wire to take apart.



Enviro-Tech Australia


ABN 48 149 736 667
 P.O. Box 458, Clayfield 4011
 Queensland
 Phone: 1 300 530 883
 Fax: 1 300 985 668
 Email: info@enviro-tech.com.au
www.enviro-tech.com.au

Enviro-Tech New Zealand

P.O. Box 6208 Marion Square
 Wellington 6141
 Phone: 0800 2 ENVIRO (0800 2 368476)
 Fax: 04 974 7142
 Email: info@enviro-tech.co.nz
www.enviro-tech.co.nz




■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS



Installation





■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS



■ **ET4-40P**
TOILET SENSOR PLATE
 INSTALLATION INSTRUCTIONS





■ **ET4-40P**
TOILET SENSOR PLATE
 INSTALLATION INSTRUCTIONS



■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS







■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS



■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS



■ ET4-40P
TOILET SENSOR PLATE
INSTALLATION INSTRUCTIONS



ET4-40P

TOILET SENSOR PLATE

INSTALLATION INSTRUCTIONS



Check automatic flushing




Plate detection time of 8sec.

Plate detection zone of 1.2M.

If user leaves the 1.2M detection zone without selecting half flush or full flush the automatic flush will activate after 3 seconds by lighting the full flush and flushing the toilet.

7 seconds after leaving the 1.2M sensor zone the full flush light will turn off.

ET4-40P

TOILET SENSOR PLATE

INSTALLATION INSTRUCTIONS



Check manual flushing

